



## MATERIAL SAFETY DATA SHEET

Date: 23.04.2021

### I – IDENTIFICATION OF THE PRODUCT AND COMPANY

Trade Name	Ceramizer Engine Flush SOFT Ceramizer Engine Flush POWER
Purpose	For flushing of petrol and diesel oil systems
Producer	Ceramizer Sp. z o.o.
Address	ul. Bartycka 116 00-716 Warsaw, Poland
Tel/Fax: E-mail	+4822 498 09 08 info@ceramizer.com

### II – HAZARDS IDENTIFICATION

Classification	The material is not hazardous according to Regulation (EC) No 1272/2008 (CLP)
Hazard for health	It is not hazardous for health under normal application conditions.
Ecological hazard	It is not classified as hazardous substance for environment.

### III – COMPOSITION

Chemical composition	The composition consists of mineral oil, liquid paraffins, anticorrosive, anti frictional and washing-dispergated additives.
----------------------	--

Name of the product	Chemical name	Volume %	CAS-Number, mg/m <sup>3</sup>	MPC, w.a.
Liquids for washing the engine	Mineral Oil "I40"	30-58	8042-47-5	4,0
	Glycol ether	Up to 3%	74869-22-0	10,0
	Liquid paraffins	12 - 17	35884-42-5	300,0
	Neonol "AF 9-6"	5-7	8020-83-5	Not regulated

### IV – FIRST-AID MEASURES

General information	It is not hazardous for health under normal application conditions.
Eyes	Washout eyes with big quantity of water during 15 minutes. If irritation continues, consult a doctor.
Skin	Take off dirty dress. Polluted skin washout with soap. Under normal use doctor's consultation is not necessary.
Anatomical airways	Go outside. If breathing is difficult – consult a doctor.
Digestive system	Do not induce vomiting. If health is worth, consult a doctor.

### V- MEASURES AND MEANS OF PREVENTING FIRE AND EXPLOSION HAZARD

Firefighting tools	Firefighting tools are used that don't keep on fire (sand, large felt melt, water, chemical foam, dry powder etc.)
Special hazard	Risk is not identified.
Prohibited means	Do not use water in the form of a jet.



## MATERIAL SAFETY DATE SHEET

Means of individual protection	Protective suit, respirator, isolated gas mask.
<b>VI- MEASURES OF PREVENTING AND LIQUIDATION OF ACCIDENTS AND EMERGENCES</b>	
Poured product is swamped with sand, clay or other inertial material is scooped up mechanically. Utilize proper way. It doesn't let product get in drinking sources on water pools surfaces, sewerage and soil.	
<b>VII- STORAGE REGULATIONS OF CHEMICAL PRODUCTION AND ITS TREATMENT UNDER HANDLING OPERATIONS</b>	
General safety rules	Under normal use, product is stable and does not require special protective equipment. Product relates to hardly combustible and low toxic class.
Handling	It is not necessary under normal use.
Storage	Use rubber gloves.
Recommended materials	It is not necessary under normal use.
Incompatible materials	It is not necessary under normal use.
<b>VIII- CONTROL MEASURES FOR HAZARDS AND MEANS OF INDIVIDUAL PROTECTION</b>	
General information	Under normal use of Ceramizer preparation, product is stable and it doesn't require special protective equipment. Preparation of Ceramizer is related to hard-combustible and low-toxic products.
Protection of breathing	It is not required under right application.
Protection of eyes	It is not required under right application.
Protection of skin	It is not required under right application.
Protection of hands	Use rubber gloves.
<b>IX – PHYSICAL AND CHEMICAL PROPERTIES</b>	
Physical condition	Viscous liquid of yellow color.
Temperature of flash-point	250 °C
Density, g/cm <sup>3</sup> , not less then	0,850
Funnel viscosity	40-60
Corrosion tests	Withstand
<b>X – STABILITY AND REACTION CAPACITY</b>	
Chemical stability	Material is stable under normal use conditions and storage.
Hazard of polymerization	Not hazardous
Incompatibility	With strong oxidants
Hazardous products of decomposition	Under normal storage conditions, formation of hazardous products is not supposed.
<b>XI – TOXICOLOGICAL INFORMATION</b>	
Product is not hazardous for organism and relates to IV Class of Hazard (substances are moderately hazardous as in GOST 12.1.1.007).	
Irritation of skin	Slight irritation
Irritation of eyes	Slight irritation
Other toxicological information	Information is based on properties of raw materials. It is not proved its carcinogenic or mutagenic property.
<b>XII – ECOLOGICAL INFORMATION</b>	
Eco-toxicological data were not received specially for this product. The information above is based on knowledge of components and results of eco-toxicological research of analogue products.	
Acute toxicology	Product is considered non-toxic. Mineral oil does not make chronic action on water organisms under concentration less than 1mg/l. It has slow toxic effect on fish and micro flora of water pools. In water and air in the presence of other substances does not form toxic compounds.



## MATERIAL SAFETY DATE SHEET

Movement	Product is not mixed with water. Under penetration in soil it is absorbed with its particles.
Stability	Product is not fast bio-degradable. Basic components are bio-degradable, but product has non bio-degradable substances.
Bio-accumulation	Some components can accumulate in alive organisms.
Other impacts	It is not supposed a possibility of destruction of ozone layer and influence on global warming.
Protection of environment is provided under production with hermetically sealed technical equipment. Liquid and solid wastes are absent.	
<b>XIII – RECOMMENDATIONS FOR WASTE UTILISATION (REMAIDERS)</b>	
Wastes (remainders) place in strictly labeled container for next utilization and regeneration. Any means of actions with wastes must be appropriate to all local and public laws and normative acts.	
<b>XIV – INFORMATION AT TRANSPORTATIONS (SHIPMENT)</b>	
Properties of transportation UN number Hazard class  <b>ADR/RID</b> (Road transport) <b>IMDG</b> (Sea transport) <b>IATA</b> (Air transport)	It is not classified as a hazardous load. N/A N/A  It is not subjected to norm ADR/RID It is not subjected to technical conditions IMDG It is not subjected to norms of "IATA Dangerous Goods Regulation (DGR)" edition 60 <sup>th</sup> , 2019 Product can be transported with any transport.
<b>XV – NATIONAL AND INTERNATIONAL LAGISLATION</b>	
Safety, health and environmental regulations/legislation specific for the substance or mixture Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. 2014/955/EU: Commission Decision of 18 December 2014 amending Decision 2000/532/EC on the list of waste pursuant to Directive 2008/98/EC of the European Parliament and of the Council Text with EEA relevance.	
<b>XVI – ADDITIONAL INFORMATION</b>	
Information in this Safety Card corresponds to the latest modern level of our knowledge about product. Product is applied and used in accordance to given advises. Information in this Safety Card does not compile instruction on the workplace. Data contains in the given document have to be opened to any potential users of this product. Utilization recommendations: This product is applied and used as compound for sealing of threaded connections as specified in instruction on package for sealing of threaded connections. Data: Abbreviation: N/A = was not identified; N/D = is not determined.	
For getting additional information about product, contact Ceramizer company: +4822 498 09 08 info@ceramizer.com	