

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CERAMIZER Detox Octane Booster Shot D1777

Revision: 25.06.2026

Product code: 100935

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

CERAMIZER Detox Octane Booster Shot D1777

UFI: ORH0-19N9-U007-52SQ

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Fuel additive

1.3. Details of the supplier of the safety data sheet

Company name: Ceramizer D. Kosiorek Spółka Komandytowa
Street: Bartycka 116
Place: PL-00-716 Warsaw
Telephone: +48 22 498 09 08
E-mail: info@ceramizer.pl
Contact person: Customer Service
E-mail (Contact person): info@ceramizer.pl
Internet: www.ceramizer.com
Responsible Department: Customer Service

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Regulation (EC) No 1272/2008**

Eye Irrit. 2; H319
Asp. Tox. 1; H304
Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

2.2. Label elements**Regulation (EC) No 1272/2008****Hazard components for labelling**

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics
Hydrocarbons, C10, aromatics, <1% naphthalene
Solvent naphtha (petroleum), heavy arom.

Signal word: Danger**Pictograms:****Hazard statements**

H304 May be fatal if swallowed and enters airways.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.
EUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331 Do NOT induce vomiting.
P405 Store locked up.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CERAMIZER Detox Octane Booster Shot D1777

Revision: 25.06.2026

Product code: 100935

Page 2 of 11

Precautionary statements

P501 Dispose of this material and its container to hazardous or special waste collection point.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64742-47-8	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics			80 - < 100 %
	926-141-6		01-2119456620-43	
	Asp. Tox. 1; H304 EUH066			
64742-94-5	Hydrocarbons, C10, aromatics, <1% naphthalene			1 - < 10 %
	918-811-1		01-2119463583-34	
	STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H336 H304 H411			
64742-94-5	Solvent naphtha (petroleum), heavy arom.			1 - < 10 %
	919-284-0	649-424-00-3	01-2119463588-24	
	STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H336 H304 H411 EUH066			
7491-09-0	Potassium-1,2-bis-(2-ethylhexyloxycarbonyl)-ethansulfonate			1 - < 10 %
	231-308-5		01-2119919740-39	
	Skin Irrit. 2, Eye Dam. 1; H315 H318			
64742-94-5	Kerosine - unspecified, Solvent naphtha (petroleum), heavy arom.			1 - < 10 %
	926-273-4	649-424-00-3	01-2119451151-53	
	Asp. Tox. 1, Aquatic Chronic 2; H304 H411			
91-20-3	naphthalene			0.1 - < 1 %
	202-049-5	601-052-00-2		
	Carc. 2, Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1; H351 H302 H400 H410			
102-54-5	Dicyclopentadienyl iron			0.1 - < 1 %
	203-039-3		01-2119978280-34	
	Flam. Sol. 1, Repr. 1B, Acute Tox. 4, Acute Tox. 4, STOT RE 2, Aquatic Chronic 1; H228 H360FD H332 H302 H373 H410			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64742-47-8	926-141-6	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	80 - < 100 %
		dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg	
64742-94-5	918-811-1	Hydrocarbons, C10, aromatics, <1% naphthalene	1 - < 10 %
		inhalation: LC50 = 4688 mg/l (vapours); dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
91-20-3	202-049-5	naphthalene	0.1 - < 1 %
		oral: ATE = 500 mg/kg	
102-54-5	203-039-3	Dicyclopentadienyl iron	0.1 - < 1 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = >3000 mg/kg; oral: LD50 = 1350 mg/kg Aquatic Chronic 1; H410: M=10	

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CERAMIZER Detox Octane Booster Shot D1777

Revision: 25.06.2026

Product code: 100935

Page 3 of 11

SECTION 4: First aid measures**4.1. Description of first aid measures****After inhalation**

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. In case of fire, use sand, extinguishing powder or alcohol resistant foam. carbon dioxide (CO₂)

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up**Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CERAMIZER Detox Octane Booster Shot D1777

Revision: 25.06.2026

Product code: 100935

Page 4 of 11

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

octane number improver

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m ³	fib/cm ³	Category	Origin
91-20-3	Naphtalene	10	50		TWA (8 h)	

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: orange - brown

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CERAMIZER Detox Octane Booster Shot D1777

Revision: 25.06.2026

Product code: 100935

Page 5 of 11

Odour: characteristic

Test method

Melting point/freezing point: not determined

Boiling point or initial boiling point and boiling range: 179 °C

Flammability: not determined

Lower explosion limits: 0,6 vol. %

Upper explosion limits: 7 vol. %

Flash point: 72 °C

ISO 3679

Auto-ignition temperature: not determined

Decomposition temperature: not applicable

pH-Value: not applicable

Viscosity / kinematic (at 40 °C): <7 mm²/s

Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined

Vapour pressure (at 20 °C): 0,2 hPa

Density: 0,82 g/cm³

DIN 12185

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

Not oxidising.

Other safety characteristics

Sublimation point: not applicable

Softening point: not applicable

Pour point: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CERAMIZER Detox Octane Booster Shot D1777

Revision: 25.06.2026

Product code: 100935

Page 6 of 11

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-47-8	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics				
	oral	LD50 >5000 mg/kg	Rat		
	dermal	LD50 >5000 mg/kg	Rabbit		
64742-94-5	Hydrocarbons, C10, aromatics, <1% naphthalene				
	oral	LD50 >5000 mg/kg	Rat		OECD 401
	dermal	LD50 >2000 mg/kg	Rabbit		OECD 402
	inhalation vapour	LC50 4688 mg/l	Rat		OECD 403
91-20-3	naphthalene				
	oral	ATE 500 mg/kg			
102-54-5	Dicyclopentadienyl iron				
	oral	LD50 1350 mg/kg	Rat		OECD 401
	dermal	LD50 >3000 mg/kg	Rat		OECD 402
	inhalation vapour	ATE 11 mg/l			
	inhalation dust/mist	ATE 1,5 mg/l			

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Repeated exposure may cause skin dryness or cracking.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CERAMIZER Detox Octane Booster Shot D1777

Revision: 25.06.2026

Product code: 100935

Page 7 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h][d]	Species	Source	Method
64742-94-5	Hydrocarbons, C10, aromatics, <1% naphthalene					
	Acute fish toxicity	LC50 ≥ 2 - ≤ 5 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute crustacea toxicity	EC50 ≥ 3 - ≤ 10 mg/l	48 h	Daphnia magna (Big water flea)		
102-54-5	Dicyclopentadienyl iron					
	Acute fish toxicity	LC50 12,3 mg/l	96 h	Leuciscus idus melanotus		
	Acute algae toxicity	ErC50 1,03 mg/l	72 h			OECD 201
	Acute crustacea toxicity	EC50 2,5 mg/l	48 h	Daphnia magna (Big water flea)		OECD 202
	Fish toxicity	NOEC 1,5 mg/l	14 d	Leuciscus idus melanotus		OECD 204
	Crustacea toxicity	NOEC 0,0015 mg/l	21 d	Daphnia magna (Big water flea)		OECD 211

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
102-54-5	Dicyclopentadienyl iron	3,7

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and mother liquors; hazardous waste

List of Wastes Code - used product

070104 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the manufacture, formulation,

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CERAMIZER Detox Octane Booster Shot D1777

Revision: 25.06.2026

Product code: 100935

Page 8 of 11

supply and use (MFSU) of basic organic chemicals; other organic solvents, washing liquids and mother liquors; hazardous waste

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information
Land transport (ADR/RID)

14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hydrocarbons, C10, aromatics, <1% naphthalene; Dicyclopentadienyl iron)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
	
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	90
Tunnel restriction code:	-

Inland waterways transport (ADN)

14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hydrocarbons, C10, aromatics, <1% naphthalene; Dicyclopentadienyl iron)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
	
Classification code:	M6
Special Provisions:	274 335 375 601
Limited quantity:	5 L
Excepted quantity:	E1

Marine transport (IMDG)

14.1. UN number or ID number:	UN 3082
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Hydrocarbons, C10, aromatics, <1% naphthalene; Dicyclopentadienyl iron)
14.3. Transport hazard class(es):	9
14.4. Packing group:	III
Hazard label:	9
	
Marine pollutant:	YES
Special Provisions:	274, 335, 969

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CERAMIZER Detox Octane Booster Shot D1777

Revision: 25.06.2026

Product code: 100935

Page 9 of 11

Limited quantity: 5 L
 Excepted quantity: E1
 EmS: F-A, S-F

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 3082
14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
 (Hydrocarbons, C10, aromatics, <1% naphthalene; Dicyclopentadienyl iron)
14.3. Transport hazard class(es): 9
14.4. Packing group: III
 Hazard label: 9



Special Provisions: A97 A158 A197
 Limited quantity Passenger: 30 kg G
 Passenger LQ: Y964
 Excepted quantity: E1
 IATA-packing instructions - Passenger: 964
 IATA-max. quantity - Passenger: 450 L
 IATA-packing instructions - Cargo: 964
 IATA-max. quantity - Cargo: 450 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: Hydrocarbons, C10, aromatics, <1% naphthalene; Dicyclopentadienyl iron

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

Information according to Directive 2012/18/EU (SEVESO III): E2 Hazardous to the Aquatic Environment

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CERAMIZER Detox Octane Booster Shot D1777

Revision: 25.06.2026

Product code: 100935

Page 10 of 11

Changes

This data sheet contains changes from the previous version in section(s): 2,11,12.

Abbreviations and acronyms

Flam. Sol. 1: Flammable solids, hazard category 1
 Acute Tox. 4: Acute toxicity, hazard category 4
 Asp. Tox. 1: Aspiration hazard, hazard category 1
 Skin Irrit. 2: Skin irritation, hazard category 2
 Eye Dam. 1: Serious eye damage, hazard category 1
 Eye Irrit. 2: Eye irritation, hazard category 2
 Carc. 2: Carcinogenicity, hazard category 2
 Repr. 1B: Reproductive toxicity, hazard category 1B
 STOT SE 3: Specific target organ toxicity - single exposure, hazard category 3
 STOT RE 2: Specific target organ toxicity - repeated exposure, hazard category 2
 Aquatic Acute 1: Hazardous to the aquatic environment, hazard category: Acute 1
 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard category: Chronic 1
 Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard category: Chronic 2
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 RID: Regulations concerning the international carriage of dangerous goods by rail
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation
 intérieures)
 EmS: Emergency Schedules
 MFAG: Medical First Aid Guide
 ICAO: International Civil Aviation Organization
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 VOC: Volatile Organic Compounds
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method
Asp. Tox. 1; H304	Calculation method

Safety Data Sheet

according to Regulation (EC) No 1907/2006

CERAMIZER Detox Octane Booster Shot D1777

Revision: 25.06.2026

Product code: 100935

Page 11 of 11

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)